

# BEAUTY & BEAST<sup>®</sup>

DISPLAY MERCHANDISERS

For Medical & Adult Use Cannabis Industry

## Self-Cleaning Condenser Only at Turbo Air

Turbo Air is the trailblazer of the refrigeration industry. We have solved the age-old problem: dirty condensers causing the majority of service calls. To solve this problem, we invented the Self-Cleaning Condenser that automatically cleans the dust off the condenser daily. Considering that "budtenders" are often tasked with the role of cleaning them monthly, it's one more thing you can cross off their list of unpleasant and unhealthy things to do. This revolutionary device is available on all our display cases, glass door merchandisers and underbar units at no additional cost. All our units utilize environmentally friendly hydrocarbon refrigerants and have an aesthetic design that increases sales and elevates any setting.



# Features & Benefits

## Self-Cleaning Condenser

At least in the back of the house, the cannabis environment can be dusty, in particular as pounds are broken down into ounces, quarters, eighths, and grams by hand. The accumulation of dust in the condenser causes the failure or breakdown of refrigerators. Refrigerators run normally until they reach a certain level of accumulation. At some point, when they are over the limit, their performance drops quickly resulting in damage to, or disposal of the stored products in refrigerators. The self-cleaning condenser device keeps the condenser clean and prevents system failure by automatically brushing daily. This also makes for a healthier work environment for dispensary agents who would otherwise be responsible for this task.



## Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (Depending on the model, your new Turbo Air may qualify for a utility rebate).

## Security

Each Turbo Air model comes with a lock or option or security cover.



## Modern Design

The contemporary look is designed to be eye-catching, increasing impulse sales of any stocked product. A safety reinforced tempered glass front shield and side walls allow high visibility with easy accessibility. Most of the units come with color options of classic black, chic white, and sleek stainless steel to complement the interior of any grocery store, deli, cafe, hotel, and more.

## Digital Temperature Controller

## Automatic Defrost




## Automatic condensate removal with no additional electrical

## Self-Contained System

Our self-contained system makes it easy to service and perform maintenance. Installation is a simple "plug and play" operation with no floor drain required.

## Efficient Airflow

Our unique refrigeration technology allows cold air to flow throughout, which maintains an equal temperature from top to bottom.



## Drop-In Type European Straight (Solid side panel) Horizontal Open Display Cases

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

### LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

### Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

### Designed to enhance impulsive sales

Ideal for eye-catching displays and convenient access with fast service in high traffic area.

### Security Cover

Energy saving night curtain standard

### Additional Features

- Stainless steel interior standard including back wall and deck pans
- Standard back-guard improves airflow
- Perforated interior back wall & open top for improved air flow
- Foamed with polyurethane, high-density cell insulation (CFC free)
- Front air intake and rear air discharge
- Color: white, black, stainless steel
- 2 year parts and labor warranty with additional 3 year compressor warranty

See page 16 for Drop-In Type European Straight (Solid side panel) models and specifications.



TOM-48UC-B-N





<b>PRE-ROLL JOINTS</b>		<b>THE BEST</b>		<b>Flower</b>	
California Dreamin'	\$14	Amnesia	\$20	Green Earthling	\$40 - 1/8 OZ
California Dreamin' (2)	\$15	Amnesia Bubble	\$20		
California Dreamin' (3)	\$15	Fullinazi	\$40		
California Dreamin' (4)	\$15				
California Dreamin' (5)	\$15				
California Dreamin' (6)	\$15				
California Dreamin' (7)	\$15				
California Dreamin' (8)	\$15				
California Dreamin' (9)	\$15				
California Dreamin' (10)	\$15				
California Dreamin' (11)	\$15				
California Dreamin' (12)	\$15				
California Dreamin' (13)	\$15				
California Dreamin' (14)	\$15				
California Dreamin' (15)	\$15				
California Dreamin' (16)	\$15				
California Dreamin' (17)	\$15				
California Dreamin' (18)	\$15				
California Dreamin' (19)	\$15				
California Dreamin' (20)	\$15				
California Dreamin' (21)	\$15				
California Dreamin' (22)	\$15				
California Dreamin' (23)	\$15				
California Dreamin' (24)	\$15				
California Dreamin' (25)	\$15				
California Dreamin' (26)	\$15				
California Dreamin' (27)	\$15				
California Dreamin' (28)	\$15				
California Dreamin' (29)	\$15				
California Dreamin' (30)	\$15				
California Dreamin' (31)	\$15				
California Dreamin' (32)	\$15				
California Dreamin' (33)	\$15				
California Dreamin' (34)	\$15				
California Dreamin' (35)	\$15				
California Dreamin' (36)	\$15				
California Dreamin' (37)	\$15				
California Dreamin' (38)	\$15				
California Dreamin' (39)	\$15				
California Dreamin' (40)	\$15				
California Dreamin' (41)	\$15				
California Dreamin' (42)	\$15				
California Dreamin' (43)	\$15				
California Dreamin' (44)	\$15				
California Dreamin' (45)	\$15				
California Dreamin' (46)	\$15				
California Dreamin' (47)	\$15				
California Dreamin' (48)	\$15				
California Dreamin' (49)	\$15				
California Dreamin' (50)	\$15				
California Dreamin' (51)	\$15				
California Dreamin' (52)	\$15				
California Dreamin' (53)	\$15				
California Dreamin' (54)	\$15				
California Dreamin' (55)	\$15				
California Dreamin' (56)	\$15				
California Dreamin' (57)	\$15				
California Dreamin' (58)	\$15				
California Dreamin' (59)	\$15				
California Dreamin' (60)	\$15				
California Dreamin' (61)	\$15				
California Dreamin' (62)	\$15				
California Dreamin' (63)	\$15				
California Dreamin' (64)	\$15				
California Dreamin' (65)	\$15				
California Dreamin' (66)	\$15				
California Dreamin' (67)	\$15				
California Dreamin' (68)	\$15				
California Dreamin' (69)	\$15				
California Dreamin' (70)	\$15				
California Dreamin' (71)	\$15				
California Dreamin' (72)	\$15				
California Dreamin' (73)	\$15				
California Dreamin' (74)	\$15				
California Dreamin' (75)	\$15				
California Dreamin' (76)	\$15				
California Dreamin' (77)	\$15				
California Dreamin' (78)	\$15				
California Dreamin' (79)	\$15				
California Dreamin' (80)	\$15				
California Dreamin' (81)	\$15				
California Dreamin' (82)	\$15				
California Dreamin' (83)	\$15				
California Dreamin' (84)	\$15				
California Dreamin' (85)	\$15				
California Dreamin' (86)	\$15				
California Dreamin' (87)	\$15				
California Dreamin' (88)	\$15				
California Dreamin' (89)	\$15				
California Dreamin' (90)	\$15				
California Dreamin' (91)	\$15				
California Dreamin' (92)	\$15				
California Dreamin' (93)	\$15				
California Dreamin' (94)	\$15				
California Dreamin' (95)	\$15				
California Dreamin' (96)	\$15				
California Dreamin' (97)	\$15				
California Dreamin' (98)	\$15				
California Dreamin' (99)	\$15				
California Dreamin' (100)	\$15				





## Curved / European Straight Horizontal Combination Open Display Cases

### Refrigerated Merchandiser + Refrigerated Top Display Case

Display opened product in the top display for customer/patient view, while storing product to sell below at the proper temperature (adult use/recreational).

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

### Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

### LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

### Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

### Designed to enhance impulsive sales

Beverage categories are growing! Ideal for eye-catching displays and convenient access with fast service in high traffic areas. Consider placing near cashier stations for add on sales.

### Additional Features

- Stainless steel interior standard including back wall and deck pans
- Standard back-guard improves airflow
- Stainless steel stair shelves standard
- Perforated interior back wall & top for improved air flow
- Foamed with polyurethane, high-density cell insulation (CFC free)
- Front air intake and rear air discharge
- Color: black, white (8 week lead time)
- 2 year parts and labor warranty with additional 3 year compressor warranty

See page 16 for Curved / European Straight Combination models and specifications.





**TCGB-48UF-S-N / TCGB-48UF-DR-S**  
Left is refrigerated model TCGB-48UF-S-N and  
right is dry case model TCGB-48UF-DR-S.





## European Straight Bakery Display Cases

### Display Case Types

Refrigerated, Freezer, Dry,  
Refrigerated & Dry Case Combination.  
Fully enclosed cases with rear entry for  
associate-only access are ideal for display area  
easy to replenish and dispense from.

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating  
brushes run daily to move dirt away from  
the condenser. This revolutionary device  
comes at no additional cost.

### Hydrocarbon Refrigerants

With innovative and eco-friendly technology,  
Turbo Air brings you hydrocarbon refrigerators  
designed to meet DOE's Energy Conservation  
Standards in 2017 and to use EPA's SNAP  
Program approved HC refrigerants. Hydrocarbon  
refrigerants do not deplete the ozone layer and  
have very low contribution to global warming  
(ODP-0, GWP-3) (not applicable to Dry Cases).

### LED Interior Lighting

The LED lighting system illuminates products for  
better visibility to increase sales. Each shelf is  
equipped with LED lights to reduce shadows.

### Digital Temperature Controller

External digital temperature control has an easily  
accessible panel to quickly adjust temperatures,  
which includes a defrost control.

### Designed to enhance impulsive sales

Ideal for eye-catching displays and convenient  
access with fast service in high traffic area.

### Attractive, elegant, glass sided Euro design

Tempered front glass and minimal frame provide full  
product visibility to optimize display effects. Its elegant  
contemporary euro design will not only enhance any  
store atmosphere but also will keep product  
presentation at its best and most beautiful.

### Low-E coated double pane glass is tempered for safety

Low-E coated double pane glass (Refrigerated, Dry,  
Refrigerated & Dry Case combination) and triple pane  
glass (Freezer) are tempered for safety.

### Additional Features

- Adjustable, tempered glass shelves with  
stainless steel front and back edges
- Stainless steel floor and airflow grille
- Sliding rear doors for product loading & unloading
- Rear access to compressor compartment  
for quick and easy service
- Color: white, black, stainless steel
- 2 year parts and labor warranty with  
additional 3 year compressor warranty

See page 21 for European Straight-Bakery Case models  
and specifications.

# cannabis

HEALTH THERAPY





## Swing Door Refrigerators Glass Door Merchandisers

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost (except TGM-5SD/7SD-N6).

### Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

### LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

### Hot Gas Condensate System

Condensate system surfaces have been specially treated to resist corrosion and prevents the overflow of condensate water (only TGM-35SD/47SD/72SD-N).

### Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control (except TGM-5SD/7SD-N6).

### Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

### Double Pane Glass Doors with Low-E glass

### Shadow Free Advertising Panel

(except TGM-5SD/7SD/10SD/12SD-N6)

### Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 23 for Swing Door Refrigerator models and specifications.





## Swing Door Freezers

# Glass Door Merchandisers

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost (except TGF-5SD-N).

### Only at Turbo Air, Only in the World

Turbo Air's 2 & 3 Glass Door Freezers are powered by 115V. Not only is our 115V simple and easy to plug in and operate, it also saves customers over \$1,000 in electrical line installation for 220V powered glass door freezers.

### LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

### Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

### No electrical cabinet heater is needed

### Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

### Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

### Triple Pane Heated Glass Doors with Low-E glass

Equipped with unique triple-pane heated glass doors which enhance energy efficiency by preventing heat transfers and minimizing condensation. Lightweight door construction reduces door maintenance, bushing wear, and facilitates smooth door opening.

### Shadow Free Advertising Panel (except TGF-5SD/10SD-N)

#### Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 23 for Swing Door Freezer models and specifications.

## Full View Swing Door Refrigerators

# Glass Door Merchandisers

### Full height glass door merchandisers

Full height glass door merchandisers are ideal when they are placed behind counters because products are more viewable by patients and customers. And, shelves are at a more ergonomic height for replenishment.

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

### Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

### LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

### Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

### Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

### Double Pane Heated Glass Doors with Low-E glass

### Hot Gas Condensate System

Condensate system surfaces have been specially treated to resist corrosion and prevents the overflow of condensate water (except TGM-15SDH/23SDH-N6).

### Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 23 for Full View Swing Door Refrigerator models and specifications.



TGM-47SDHW-N



## Full View Swing Door Freezers Glass Door Merchandisers

### Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

### Only at Turbo Air, Only in the World

Turbo Air's 2 & 3 Glass Door Freezers are powered by 115V. Not only is our 115V simple and easy to plug in and operate, it also saves customers over \$1,000 in electrical line installation for 220V powered glass door freezers.

### Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

### Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

### LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

### Triple Pane Heated Glass Doors with Low-E glass

Equipped with unique triple-pane heated glass doors which enhance energy efficiency by preventing heat transfers and minimizing condensation. Lightweight door construction reduces door maintenance, bushing wear, and facilitates smooth door opening.

### Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

### No electrical cabinet heater is needed

#### Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 24 for Full View Swing Door Freezer models and specifications.



# Island Display Cases

## Island Display Cases

Island displays work well to separate workstations in medical dispensaries, and make for are eye-popping displays in adult use facilities.

## Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

## Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

## LED lighting on top panel and canopy

Brighter and longer lasting LED lights provide attractive enhanced illumination compared to fluorescents. It saves energy by producing less heat, while maximizing visibility in the display area.

## Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

## Designed to enhance impulsive sales

Ideal for eye-catching displays and convenient access with fast service in high traffic area.

## Additional Features

- Advertising panel
- ABS bump guard liners
- 5mm thick durable clear PC (polycarbonate) product stopper
- Simple plug-in installation
- Color: black, stainless steel
- 2 year parts and labor warranty with additional 3 year compressor warranty

See page 19 for Island Display Case models and specifications.



TIOM-48SB-N



## Open Display Merchandisers

### Combination Cases / Curved Front



Model	CU./FT. (Top / Bottom)	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TOM-W-40SB-N	4.2 / 6.4	2	3/4	6.9	535	387/8 x 341/8 x 563/8
TOM-W-50SB-N	5.6 / 8.5	2	3/4	6.9	639	507/8 x 341/8 x 563/8
TOM-W-60SB-N	7.0 / 10.7	2	3/4 x 2	11.3	730	625/8 x 341/8 x 563/8

White color option available (8 week lead time) \* Height does not include for bolt height.

### Combination Cases / European Straight Front



Model	CU./FT. (Top / Bottom)	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TOM-W-40SB-UF-N	4.2 / 6.4	2	3/4	6.9	535	387/8 x 341/8 x 563/4
TOM-W-50SB-UF-N	5.6 / 8.5	2	3/4	6.9	639	507/8 x 341/8 x 563/4
TOM-W-60SB-UF-N	7.0 / 10.7	2	3/4 x 2	11.3	730	625/8 x 341/8 x 563/4

White color option available (8 week lead time) \* Height does not include for bolt height.

### Horizontal / Drop-In Type European Straight



Model	CU./FT.	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TOM-36UC-W(B, S)-N	5	3/4	7.5	368	361/4 x 321/4 x 321/2
TOM-48UC-W(B, S)-N	6.8	3/4	7.5	423	481/4 x 321/4 x 321/2
TOM-60UC-W(B, S)-N	8.6	3/4	7.5	482	601/4 x 321/4 x 321/2
TOM-72UC-W(B, S)-N	10.4	3/4 x 2	15.0	630	721/4 x 321/4 x 321/2

\* Height does not include for roller height.

### Vertical / Slim Profiles



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM20-60N-W(B, S)	3.2	2	3/4	5.9	330	195/8 x 255/8 x 563/4
TOM20-75N-W(B, S)	4.8	4	3/4	6.9	440	195/8 x 255/8 x 721/2

\* Depth does not include for rear spacers. † Height does not include for caster height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).

## Open Display Merchandisers

### Vertical / Medium Heights - Glass Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40MW(B, S)-N	9.3	3	3/4 x 2	15.5	521	39 1/8 x 26 7/8 x 60 1/4
TOM-50MW(B, S)-N	12.3	3	3/4 x 2	15.5	567	50 7/8 x 26 7/8 x 60 1/4

\* Depth does not include for rear spacers. † Height does not include for bolt height.

### Vertical / Medium Heights - Solid Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40MB-SP(-A)-N	9.3	3	3/4 x 2	15.5	521	39 1/8 x 26 7/8 x 60 1/4
TOM-50MB-SP(-A)-N	12.3	3	3/4 x 2	15.5	567	50 7/8 x 26 7/8 x 60 1/4

SP-N: stainless steel interior, SP-A-N: black coated interior

\* Depth does not include for rear spacers. † Height does not include for bolt height.

### Vertical / Full Heights - Glass Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40W(B, S)-N	14.4	4	3/4 x 2	15.5	642	39 1/8 x 27 x 78
TOM-50W(B, S)-N	19.0	4	3/4 x 2	15.5	733	50 7/8 x 27 x 78

\* Depth does not include for rear spacers. † Height does not include for bolt height.

### Vertical / Full Heights - Solid Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40W(B, S)-N	14.4	4	3/4 x 2	15.5	642	39 1/8 x 27 x 78
TOM-50W(B, S)-N	19.0	4	3/4 x 2	15.5	733	50 7/8 x 27 x 78

SP-N: stainless steel interior, SP-A-N: black coated interior

\* Depth does not include for rear spacers. † Height does not include for bolt height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).





## Open Display Merchandisers

### Vertical / Extra Deep - Glass Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-36DXB(S)-N	17.1	4	3/4 x 2	15.5	631	35 <sup>5</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>
TOM-48DXB(S)-N	23.2	4	3/4 x 2	15.5	727	47 <sup>5</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>
TOM-60DXB(S)-N	29.4	4	3/4 x 2	15.5	822	59 <sup>5</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>
TOM-72DXB(S)-N	34.1	8	3/4 x 4	18	1,064	68 <sup>3</sup> / <sub>4</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>

\* Depth does not include for safety bar and rear spacers. † Height does not include for bolt height.

### Vertical / Extra Deep - Solid Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-36DXB-SP(-A)-N	17.1	4	3/4 x 2	15.5	631	35 <sup>5</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>
TOM-48DXB-SP(-A)-N	23.2	4	3/4 x 2	15.5	727	47 <sup>5</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>
TOM-60DXB-SP(-A)-N	29.4	4	3/4 x 2	15.5	822	59 <sup>5</sup> / <sub>8</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>
TOM-72DXB-SP(-A)-N	34.1	8	3/4 x 4	18	1,064	68 <sup>3</sup> / <sub>4</sub> x 33 <sup>1</sup> / <sub>4</sub> x 78 <sup>3</sup> / <sub>8</sub>

SP-N: stainless steel interior, SP-A-N: black coated interior

\* Depth does not include for safety bar and rear spacers. † Height does not include for bolt height.

### Vertical / Air Curtains



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-36EB(S)-N	16.5	4	4	15.5	648	36 x 29 <sup>1</sup> / <sub>2</sub> x 80 <sup>1</sup> / <sub>2</sub>
TOM-48EB(S)-N	22.6	4	4	15.5	743	48 x 29 <sup>1</sup> / <sub>2</sub> x 80 <sup>1</sup> / <sub>2</sub>
TOM-60EB(S)-N	28.6	4	4	15.5	842	60 x 29 <sup>1</sup> / <sub>2</sub> x 80 <sup>1</sup> / <sub>2</sub>
TOM-72EB(S)-N	34.7	8	8	18	941	72 x 29 <sup>1</sup> / <sub>2</sub> x 80 <sup>1</sup> / <sub>2</sub>
TOM-96EB(S)-N	45.2	8	8	18	1,190	92 <sup>7</sup> / <sub>8</sub> x 29 <sup>1</sup> / <sub>2</sub> x 80 <sup>1</sup> / <sub>2</sub>

\* Depth does not include for rear spacers. † Height does not include for bolt height.

Slim Profile (26" depth) Medium & Full height models available on [www.turboairinc.com](http://www.turboairinc.com).

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).

## Open Display Merchandisers

### Island Display Cases



Model	CU./FT.	# of Tiers	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TIOM-20RSRB(S)-N	19.2	3	3/4 x 5	20.14	1,230	48 x 67 7/8 x 65
TIOM-36RSRB(S)-N	25.6	3	3/4 x 6	24.17	1,512	48 x 84 1/8 x 65
TIOM-48RSRB(S)-N	28.8	3	3/4 x 6	24.17	1,642	48 x 96 x 65
TIOM-36RSB-N	20	3	3/4 x 4	16.43	1,225	48 x 61 3/4 x 65
TIOM-48RSB-N	23.2	3	3/4 x 4	16.43	1,333	48 x 73 5/8 x 65
TIOM-48RRB(S)-N	11.2	3	3/4 x 4	15.48	853	48 x 48 x 65
TIOM-48RB-N	5.6	3	3/4 x 2	7.74	562	48 x 25 1/2 x 65

\* Height does not include for bolt height.

### Island Display Cases - Square type



Model	CU./FT.	# of Tiers	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TIOM-24CSCB-N	35.01	3	3/4 x 6	24.17	1,321	47 1/8 x 72 3/8 x 64 1/2
TIOM-36CSCB-N	41.9	3	3/4 x 6	24.17	1,512	47 1/8 x 84 5/8 x 64 1/2
TIOM-48CSCB-N	47.9	3	3/4 x 6	24.17	1,642	47 1/8 x 96 1/2 x 64 1/2
TIOM-36CSB-N	30.1	3	3/4 x 4	16.43	1,225	47 1/8 x 62 x 64 1/2
TIOM-48CSB-N	36	3	3/4 x 4	16.43	1,333	47 1/8 x 73 7/8 x 64 1/2
TIOM-48CCB-N	23.7	3	3/4 x 4	15.48	853	47 1/8 x 48 3/8 x 64 1/2
TIOM-48CB-N	11.9	3	3/4 x 2	7.74	562	47 1/8 x 25 3/4 x 64 1/2

\* Height does not include for bolt height.

### Island Display Cases



Model	CU./FT.	# of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TIOM-36SB(S)-N	14.4	6	3/4 x 2	8.7	630	38 5/8 x 48 x 65
TIOM-48SB(S)-N	17.6	6	3/4 x 2	8.7	747	50 3/8 x 48 x 65

\* Height does not include for bolt height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).

## Security Cover

### SC - Fabric Cover



Model	Available Model	L x D x H (inches)	Shipping Weight (lbs.)
SC-40(B)	TOM-40W(B, S)-N	36 1/8 x 13 1/4 x 52 3/4	14
SC-50(B)	TOM-50W(B, S)-N	48 x 13 1/4 x 52 3/4	15
SC-36-DXB	TOM-36DXB(S)-N	32 3/4 x 13 1/4 x 51 3/4	10
SC-48-DXB	TOM-48DXB(S)-N	44 3/4 x 13 1/4 x 51 3/4	12
SC-60-DXB	TOM-60DXB(S)-N	56 3/4 x 13 1/4 x 51 3/4	13
SC-72-DXB	TOM-72DXB(S)-N	66 x 13 1/4 x 51 3/4	15
SC-36-E(B)	TOM-36EB(S)-N	32 3/4 x 13 1/4 x 51 3/4	8
SC-48-E(B)	TOM-48EB(S)-N	44 3/4 x 13 1/4 x 51 3/4	9
SC-60-E(B)	TOM-60EB(S)-N	56 3/4 x 13 1/4 x 51 3/4	11
SC-72-E(B)	TOM-72EB(S)-N	68 3/4 x 13 1/4 x 51 3/4	13
SC-96-E(B)	TOM-96EB(S)-N	89 1/2 x 13 1/4 x 51 3/4	15
SC-40MW(B)	TOM-40MW(B, S)-N	36 1/8 x 13 1/4 x 30 1/2	12
SC-50MW(B)	TOM-50MW(B, S)-N	48 x 13 1/4 x 30 1/2	14

### SCS - Stainless Steel



Model	Available Model	L x D x H (inches)	Shipping Weight (lbs.)
SCS-40	TOM-40W(B, S)-N	36 1/4 x 35/8 x 50 1/2	16
SCS-50	TOM-50W(B, S)-N	48 x 35/8 x 50 1/2	20
SCS-36-DX	TOM-36DXB(S)-N	33 x 2 1/8 x 48	14
SCS-48-DX	TOM-48DXB(S)-N	44 3/4 x 2 1/8 x 48	18
SCS-60-DX	TOM-60DXB(S)-N	28 3/8 x 2 1/8 x 48 (2)	26
SCS-72-DX	TOM-72DXB(S)-N	33 x 2 1/8 x 48 (2)	27
SCS-36-E	TOM-36EB(S)-N	32 1/2 x 2 1/4 x 49 3/8	16
SCS-48-E	TOM-48EB(S)-N	44 3/8 x 2 1/4 x 49 3/8	21
SCS-60-E	TOM-60EB(S)-N	28 1/8 x 2 1/4 x 49 3/8 (2)	30
SCS-72-E	TOM-72EB(S)-N	34 x 2 1/4 x 49 3/8 (2)	31
SCS-96-E	TOM-96EB(S)-N	44 3/8 x 2 1/4 x 49 3/8 (2)	42
SCS-40-M	TOM-40MW(B, S)-N	36 1/8 x 1 1/2 x 34 1/8	12
SCS-50-M	TOM-50MW(B, S)-N	48 x 1 1/2 x 34 1/8	16

### SCM - Hard Plastic



Model	Available Model	L x D x H (inches)	Shipping Weight (lbs.)
SCM-40(B)	TOM-40W(B, S)-N	38 x 11 1/2 x 64	85
SCM-50(B)	TOM-50W(B, S)-N	49 1/2 x 11 1/2 x 64	95
SCM-36-DXB	TOM-36DXB(S)-N	33 1/4 x 11 1/4 x 62 3/4	81
SCM-48-DXB	TOM-48DXB(S)-N	45 1/4 x 11 1/4 x 62 3/4	92
SCM-60-DXB	TOM-60DXB(S)-N	57 1/4 x 11 1/4 x 62 3/4	103
SCM-72-DXB	TOM-72DXB(S)-N	66 3/8 x 11 1/4 x 62 1/8	106
SCM-36-E(B)	TOM-36EB(S)-N	32 7/8 x 11 1/4 x 64 1/4	81
SCM-48-E(B)	TOM-48EB(S)-N	44 7/8 x 11 1/4 x 64 1/4	92
SCM-60-E(B)	TOM-60EB(S)-N	56 7/8 x 11 1/4 x 64 1/4	103
SCM-72-E(B)	TOM-72EB(S)-N	67 7/8 x 11 1/4 x 64 1/4	106

Night curtain (Standard)



SC - Fabric Cover (Optional)





## Bakery Display Cases

### Curved Glass Bakery Cases

Refrigerated / Dry / Refrigerated & Dry Case Combination



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TCGB-36-W(B)-N	11.8	2	1/3	7.5	522	36 1/2 x 34 1/4 x 49 7/8
TCGB-48-W(B)-N	15.6	2	1/3	7.5	637	48 1/2 x 34 1/4 x 49 7/8
TCGB-60-W(B)-N	19.4	2	3/4	8.6	743	60 1/2 x 34 1/4 x 49 7/8
TCGB-72-W(B)-N	23.2	2	3/4	8.6	847	72 1/2 x 34 1/4 x 49 7/8
TCGB-36DR-W(B)	11.8	2	-	0.4	437	36 1/2 x 34 1/4 x 49 7/8
TCGB-48DR-W(B)	15.6	2	-	0.6	551	48 1/2 x 34 1/4 x 49 7/8
TCGB-60DR-W(B)	19.4	2	-	0.7	639	60 1/2 x 34 1/4 x 49 7/8
TCGB-72DR-W(B)	23.2	2	-	0.7	743	72 1/2 x 34 1/4 x 49 7/8
TCGB-60CO-W(B)-N	10.3 x 2	4	1/3	7.5	761	60 1/2 x 34 1/4 x 49 7/8
TCGB-72CO-W(B)-N	12.2 x 2	4	1/3	7.5	864	72 1/2 x 34 1/4 x 49 7/8

\* Height does not include for bolt height.

### European Straight Front Bakery Cases

Refrigerated / Dry / Refrigerated & Dry Case Combination / Freezer



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TCGB-36UF-W(B, S)-N	11.8	2	1/3	7.5	551	36 1/2 x 33 1/8 x 50 1/8
TCGB-48UF-W(B, S)-N	15.6	2	1/3	7.5	666	48 1/2 x 33 1/8 x 50 1/8
TCGB-60UF-W(B, S)-N	19.4	2	3/4	8.6	776	60 1/2 x 33 1/8 x 50 1/8
TCGB-72UF-W(B, S)-N	23.2	2	3/4	8.6	992	72 1/2 x 33 1/8 x 50 1/8
TCGB-36UF-DR-W(B, S)	11.8	2	-	0.4	465	36 1/2 x 33 1/8 x 50 1/8
TCGB-48UF-DR-W(B, S)	15.6	2	-	0.6	580	48 1/2 x 33 1/8 x 50 1/8
TCGB-60UF-DR-W(B, S)	19.4	2	-	0.7	672	60 1/2 x 33 1/8 x 50 1/8
TCGB-72UF-DR-W(B, S)	23.2	2	-	0.7	888	72 1/2 x 33 1/8 x 50 1/8
TCGB-60UF-CO-W(B, S)-N	10.3 x 2	4	1/3	7.5	844	60 1/2 x 33 1/8 x 50 1/8
TCGB-72UF-CO-W(B, S)-N	12.2 x 2	4	1/3	7.5	1,060	72 1/2 x 33 1/8 x 50 1/8
TCGBF-50S-N	16.88	4	1HP x 2	13	788	49 5/8 x 33 1/2 x 52 1/4

\* Height does not include for bolt height.

### Bakery Cases



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TBP36-46NN-W(B, S)	9	1	1/3	6	493	35 3/8 x 27 1/2 x 44
TBP48-46NN-W(B, S)	12.4	1	1/3	6.3	581	47 1/4 x 27 1/2 x 44
TBP60-46NN-W(B, S)	15.7	1	3/4	6.5	665	59 x 27 1/2 x 44
TBP36-54NN-W(B, S)	12.5	2	1/3	6	549	35 3/8 x 27 1/2 x 51 7/8
TBP48-54NN-W(B, S)	17.2	2	3/4	6.5	642	47 1/4 x 27 1/2 x 51 7/8
TBP60-54NN-W(B, S)	21.8	2	3/4	6.8	741	59 x 27 1/2 x 51 7/8

\* Height does not include for caster height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).



## Bakery Display Cases

### Bakery Cases - Front Glass Opening



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TBP36-46FN-W(B, S)	9	1	1/3	6.3	503	35 3/8 x 27 1/2 x 44
TBP48-46FN-W(B, S)	12.4	1	1/3	6.8	596	47 1/4 x 27 1/2 x 44
TBP60-46FN-W(B, S)	15.7	1	3/4	7.3	685	59 x 27 1/2 x 44
TBP36-54FN-W(B, S)	12.5	2	1/3	7	549	35 3/8 x 27 1/2 x 51 7/8
TBP48-54FN-W(B, S)	17.2	2	3/4	8.2	642	47 1/4 x 27 1/2 x 51 7/8
TBP60-54FN-W(B, S)	21.8	2	3/4	8.7	741	59 x 27 1/2 x 51 7/8

\* Height does not include for caster height.

### Drop-In Type Bakery Cases



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TBP36-46FDN	9	1	1/3	6.3	503	37 x 29 3/4 x 44
TBP48-46FDN	12.4	1	1/3	6.8	596	48 7/8 x 29 3/4 x 44
TBP60-46FDN	15.7	1	3/4	7.3	685	60 5/8 x 29 3/4 x 44
TBP36-54FDN	12.5	2	1/3	7	549	37 x 29 3/4 x 51 7/8
TBP48-54FDN	17.2	2	3/4	8.2	642	48 7/8 x 29 3/4 x 51 7/8
TBP60-54FDN	21.8	2	3/4	8.7	741	60 5/8 x 29 3/4 x 51 7/8

\* Height does not include for caster height.

### Sandwich & Cheese Cases



Model	Load Line CU./FT.	HP	AMPS	Crated Weight (lbs.)	L x D x H* (inches)
TOS-30NN-W(B, S)	1.31	1/3	8	463	30 1/4 x 35 3/8 x 30 7/8
TOS-40NN-W(B, S)	1.83	1/3	8	551	40 1/4 x 35 3/8 x 30 7/8
TOS-50NN-W(B, S)	2.35	1/3	8	639	50 1/4 x 35 3/8 x 30 7/8
TOS-30NN-D-W(B, S)	1.31	1/3	8	481	30 1/4 x 35 3/8 x 40
TOS-40NN-D-W(B, S)	1.83	1/3	8	572	40 1/4 x 35 3/8 x 40
TOS-50NN-D-W(B, S)	2.35	1/3	8	663	50 1/4 x 35 3/8 x 40
TOS-30PN-W(B, S)	1.38	1/3	8	455	30 x 35 3/8 x 34
TOS-40PN-W(B, S)	1.93	1/3	8	542	40 x 35 3/8 x 34
TOS-50PN-W(B, S)	2.48	1/3	8	625	50 x 35 3/8 x 34

\* Height does not include for caster height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).

## Glass Door Merchandisers

### Swing Door Refrigerators



Model	CU./FT.	Bottle Capacity (12oz)	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TGM-5SD: -N6	4.45	80	2	1/8	1.4	183	25 x 23 1/4 x 30 1/2
TGM-7SD: -N6	6.2	136	3	1/8	1.4	202	25 x 23 1/4 x 38 1/8
TGM-10SD: -N6	8.12	236	3	1/5	1.9	241	25 3/4 x 23 1/4 x 54 3/8
TGM-12SD: -N6	10.19	236 (295 w/ add shelf)	3	1/5	1.9	257	25 3/4 x 23 1/4 x 63
TGM-15SD: -N6	14.43	315 (378 w/ add shelf)	4	1/5	2.1	281	26 3/8 x 24 3/4 x 75 5/8
TGM-20SD: -N6	16.01	355 (426 w/ add shelf)	4	1/5	2.4	292	27 x 26 3/8 x 77
TGM-23SD: -N6	19.4	405 (486 w/ add shelf)	4	1/5	2.7	325	27 x 30 1/4 x 77
TGM-35SD: -N	29.06	690 (828 w/ add shelf)	8	1/3	3.3	450	39 1/2 x 31 7/8 x 77
TGM-47SD: -N	41.71	900 (1,080 w/ add shelf)	8	1/3	3.4	510	51 1/8 x 31 7/8 x 77
TGM-72SD: -N	68.4	1,475 (1,770 w/ add shelf)	12	1/2	7.9	732	78 x 31 7/8 x 77

\* Depth does not include for door handles. † Height does not include for leg height.

### Swing Door Freezers



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TGF-5SD: -N	4.26	2	1/3	2.3	195	25 x 23 1/4 x 30 1/2
TGF-10SD: -N	7.92	3	1/3	2.6	267	25 3/4 x 23 1/4 x 54 3/8
TGF-15SD: -N	13.2	4	1/2	5.6	313	26 3/8 x 24 3/4 x 75 5/8
TGF-23SD: -N	17.99	4	1/2	6	365	27 x 30 1/4 x 77
TGF-35SD: -N	28.44	8	3/4	8.1	519	39 1/2 x 31 7/8 x 77
TGF-47SD: -N	39	8	3/4	10.4	590	51 1/8 x 31 7/8 x 77
TGF-72SD: -N	60.43	12	1 1/2 x 2	15.7	915	78 x 31 7/8 x 77

\* Depth does not include for door handles. † Height does not include for leg height.

### Full View Swing Door Refrigerators



Model	CU./FT.	Bottle Capacity (12 oz)	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TGM-15SDH: -N6	14.7	315 (378 w/ add shelf)	4	1/5	2.1	281	26 3/8 x 24 3/4 x 75 5/8
TGM-23SDH: -N6	19.02	405 (486 w/ add shelf)	4	1/5	2.2	325	27 x 30 1/4 x 77
TGM-35SDH: -N	31.7	690 (828 w/ add shelf)	8	1/3	3.3	450	39 1/2 x 31 7/8 x 77
TGM-47SDH: -N	44.22	900 (1080 w/ add shelf)	8	2/5	6.6	510	51 1/8 x 31 7/8 x 77
TGM-72SDH: -N	70.5	1475 (1770 w/ add shelf)	12	1/2	7.8	732	78 x 31 7/8 x 77

\* Depth does not include for door handles. † Height does not include for leg height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).



## Glass Door Merchandisers

### Full View Swing Door Freezers



Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TGF-23SDH:-N	17.94	4	1/2	5.8	365	27 x 30 1/4 x 77
TGF-35SDH:-N	30.94	8	2/3	6.8	519	39 1/2 x 31 7/8 x 77
TGF-47SDH:-N	42.12	8	3/4	9.1	590	51 1/8 x 31 7/8 x 77
TGF-72SDH:-N	62.2	12	2/3 x 2	13.6	915	78 x 31 7/8 x 77

\* Depth does not include for door handles. † Height does not include for leg height

## Jumbo Glass Door Merchandisers

### Full View Swing Door Refrigerators



Model	CU./FT.	Bottle Capacity (12 oz)	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TJMR-30SDW(B)-N	30	1,008	6	1/3	3	509	36 5/8 x 38 x 80 1/2
TJMR-55SDW(B)-N	55	1,848	12	2/5	6.4	756	65 1/8 x 38 x 80 1/2
TJMR-85SDW(B)-N	85	4,704	18	1/2	7.5	1,124	97 1/2 x 38 x 80 1/2

\* Depth does not include door handles. † Height does not include leg height.

### Full View Swing Door Freezers




Model	CU./FT.	#of Shelves	HP	AMPS	Crated Weight (lbs.)	L x D* x H† (inches)
TJMF-30SDW(B)-N	30	6	3/4	7.1	547	36 5/8 x 38 x 80 1/2
TJMF-55SDW(B)-N	55	12	1HP x 2	9.4	798	65 1/8 x 38 x 80 1/2
TJMF-85SDW(B)-N	85	18	3/4 x 2	15.7	1,208	97 1/2 x 38 x 80 1/2

\* Depth does not include door handles. † Height does not include leg height.

Design and specifications subject to change without notice. Most updated spec sheets are available at [www.turboairinc.com](http://www.turboairinc.com).

# Sales Territory Map



**Keith Kim** 310-505-7420  
**Christopher Kim** 925-719-8808  
 (Northern CA & Nevada)

**Sun Kim** 213-309-2788  
**John McDowell & Martha Cano**  
 602-276-4969

**Joshua Ryoo** 562-577-2099

**Chris Bae** 630-442-4786

**Andrew Kim** 562-307-4355

**Phillip Han** 562-305-3837  
**DMM Enterprises**  
 201-525-1433  
**Ability Reps**  
 978-281-2700  
**Sharkey & Associates**  
 412-343-9541

<b>Mike Andrus</b> National Accounts 214-770-3126	<b>Rick Blinson</b> National Accounts 678-814-2201	<b>D. J. Kourie</b> National Accounts 330-447-8411	<b>Carlos Fuentes</b> National Accounts 310-745-9321	<b>Bill Smith</b> National Accounts 314-378-0524	<b>Suzanne Painter-Supplee</b> Consultant 602-418-6725
---	--	--	--	--	--

REFRIGERATOR MANUFACTURER  
***Turbo air***

**800-627-0032**

**[www.turboairinc.com](http://www.turboairinc.com)**



Self-Cleaning Condenser Video





**TURBO AIR**  
**REFRIGERATION REINVENTED**