

BEAUTY & BEAST[®]

DISPLAY MERCHANDISERS

For Medical & Adult Use Cannabis Industry

Self-Cleaning Condenser Only at Turbo Air

Turbo Air is the trailblazer of the refrigeration industry. We have solved the age-old problem: dirty condensers causing the majority of service calls. To solve this problem, we invented the Self-Cleaning Condenser that automatically cleans the dust off the condenser daily. This revolutionary device is available on all our display cases, glass door merchandisers and underbar units at no additional cost. All our units utilize environmentally friendly hydrocarbon refrigerants and have an aesthetic design that increases sales and elevates any setting.



Features & Benefits

Self-Cleaning Condenser

The accumulation of dust in the condenser causes the failure or breakdown of refrigerators. Refrigerators run normally until they reach a certain level of accumulation. At some point, when they are over the limit, their performance drops quickly resulting in damage to, or disposal of the stored products in refrigerators. The self-cleaning condenser device keeps the condenser clean and prevents system failure by automatically brushing daily. This also makes for a healthier work environment for dispensary agents who would otherwise be responsible for this task.

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (Depending on the model, your new Turbo Air may qualify for a utility rebate).

Security

Each Turbo Air model comes with a lock or option or security cover.

Modern Design

The contemporary look is designed to be eye-catching, increasing impulse sales of any stocked product. A safety reinforced tempered glass front shield and side walls allow high visibility with easy accessibility. Most of the units come with color options of classic black, chic white, and sleek stainless steel to complement the interior of any grocery store, deli, cafe, hotel, and more.


Digital Temperature Controller

Self-Contained System

Our self-contained system makes it easy to service and perform maintenance. Installation is a simple "plug and play" operation, in which there is no technical work required.

Efficient Airflow

Our unique refrigeration technology allows cold air to flow throughout, which maintains an equal temperature from top to bottom.



Drop-In Type European Straight (Solid side panel) Horizontal Open Display Cases

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

Designed to enhance impulsive sales

Ideal for eye-catching displays and convenient access with fast service in high traffic area.

Security Cover

Energy saving night curtain standard

Additional Features


- Stainless steel interior standard including back wall and deck pans
- Standard back-guard improves airflow
- Perforated interior back wall & open top for improved air flow
- Foamed with polyurethane, high-density cell insulation (CFC free)
- Front air intake and rear air discharge
- Color: white, black, stainless steel
- 2 year parts and labor warranty with additional 3 year compressor warranty

See page 15 for Drop-In Type European Straight (Solid side panel) models and specifications.



TOM-48UC-B-N





Curved / European Straight Horizontal Combination Open Display Cases

Refrigerated Merchandiser + Refrigerated Top Display Case

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

Designed to enhance impulsive sales

Ideal for eye-catching displays and convenient access with fast service in high traffic area.

Additional Features

- Stainless steel interior standard including back wall and deck pans
- Standard back-guard improves airflow
- Stainless steel stair shelves standard
- Perforated interior back wall & top for improved air flow
- Foamed with polyurethane, high-density cell insulation (CFC free)
- Front air intake and rear air discharge
- Color: black, white (8 week lead time)
- 2 year parts and labor warranty with additional 3 year compressor warranty

See page 15 for Curved / European Straight Combination models and specifications.



TOM-W-40SB-N / TOM-W-50SB-UF-N



TCGB-48UF-S-N / TCGB-48UF-DR-S
Left is refrigerated model TCGB-48UF-S-N and right is dry case model TCGB-48UF-DR-S.



European Straight Bakery Display Cases

Display Case Types

Refrigerated, Freezer, Dry, Refrigerated & Dry Case Combination

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3) (not applicable to Dry Cases).

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase sales. Each shelf is equipped with LED lights to reduce shadows.

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

Designed to enhance impulsive sales

Ideal for eye-catching displays and convenient access with fast service in high traffic area.

Attractive, elegant, glass sided Euro design

Tempered front glass and minimal frame provide full product visibility to optimize display effects. Its elegant contemporary euro design will not only enhance any store atmosphere but also will keep product presentation at its best and most beautiful.

Low-E coated double pane glass is tempered for safety

Low-E coated double pane glass (Refrigerated, Dry, Refrigerated & Dry Case combination) and triple pane glass (Freezer) are tempered for safety.

Additional Features

- Adjustable, tempered glass shelves with stainless steel front and back edges
- Stainless steel floor and airflow grille
- Sliding rear doors for product loading & unloading
- Rear access to compressor compartment for quick and easy service
- Color: white, black, stainless steel
- 2 year parts and labor warranty with additional 3 year compressor warranty

See page 20 for European Straight-Bakery Case models and specifications.

cannabis

HEALTH THERAPY



TGM-47SDB-N



Swing Door Refrigerators Glass Door Merchandisers

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost (except TGM-5SD/7SD-N6).

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

Hot Gas Condensate System

Condensate system surfaces have been specially treated to resist corrosion and prevents the overflow of condensate water (only TGM-35SD/47SD/72SD-N).

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control (except TGM-5SD/7SD-N6).

Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

Double Pane Glass Doors with Low-E glass

Shadow Free Advertising Panel

(except TGM-5SD/7SD/10SD/12SD-N6)

Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 22 for Swing Door Refrigerator models and specifications.



Swing Door Freezers

Glass Door Merchandisers

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost (except TGF-5SD-N).

Only at Turbo Air, Only in the World

Turbo Air's 2 & 3 Glass Door Freezers are powered by 115V. Not only is our 115V simple and easy to plug in and operate, it also saves customers over \$1,000 in electrical line installation for 220V powered glass door freezers.

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

No electrical cabinet heater is needed

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

Triple Pane Heated Glass Doors with Low-E glass

Equipped with unique triple-pane heated glass doors which enhance energy efficiency by preventing heat transfers and minimizing condensation. Lightweight door construction reduces door maintenance, bushing wear, and facilitates smooth door opening.

Shadow Free Advertising Panel (except TGF-5SD/10SD-N)

Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 22 for Swing Door Freezer models and specifications.

Full View Swing Door Refrigerators Glass Door Merchandisers

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

Double Pane Heated Glass Doors with Low-E glass

Hot Gas Condensate System

Condensate system surfaces have been specially treated to resist corrosion and prevents the overflow of condensate water (except TGM-15SDH/23SDH-N6).

Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 23 for Full View Swing Door Refrigerator models and specifications.



TGM-47SDHW-N



Full View Swing Door Freezers Glass Door Merchandisers

Self-Cleaning Condenser

A fine mesh filter catches dust, while rotating brushes run daily to move dirt away from the condenser. This revolutionary device comes at no additional cost.

Only at Turbo Air, Only in the World

Turbo Air's 2 & 3 Glass Door Freezers are powered by 115V. Not only is our 115V simple and easy to plug in and operate, it also saves customers over \$1,000 in electrical line installation for 220V powered glass door freezers.

Hydrocarbon Refrigerants

With innovative and eco-friendly technology, Turbo Air brings you hydrocarbon refrigerators designed to meet DOE's Energy Conservation Standards in 2017 and to use EPA's SNAP Program approved HC refrigerants. Hydrocarbon refrigerants do not deplete the ozone layer and have very low contribution to global warming (ODP-0, GWP-3).

Digital Temperature Controller

External digital temperature control has an easily accessible panel to quickly adjust temperatures, which includes a defrost control.

LED Interior Lighting

The LED lighting system illuminates products for better visibility to increase grab-and-go sales.

Triple Pane Heated Glass Doors with Low-E glass

Equipped with unique triple-pane heated glass doors which enhance energy efficiency by preventing heat transfers and minimizing condensation. Lightweight door construction reduces door maintenance, bushing wear, and facilitates smooth door opening.

Energy Conserving Fan Control

Utilizing algorithmic air circulation for optimal temperature levels, our innovative fan control system conserves energy by at least 15% and increases compressor life by up to 30%.

No electrical cabinet heater is needed

Additional Features

- Anti-corrosion coated evaporator standard
- Door locks standard
- Color: white, black
- 3 year parts and labor warranty with additional 4 year compressor warranty

See page 23 for Full View Swing Door Freezer models and specifications.

Open Display Merchandisers

Combination Cases / Curved Front



Model	CU./FT. (Top / Bottom)	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TOM-W-40SB-N	4.2 / 6.4	2	3/4	6.9	793.5	535	387/8 x 341/8 x 563/8
TOM-W-50SB-N	5.6 / 8.5	2	3/4	6.9	793.5	639	507/8 x 341/8 x 563/8
TOM-W-60SB-N	7.0 / 10.7	2	3/4 x 2	11.3	1299.5	730	627/8 x 341/8 x 563/8

White color option available (8 week lead time) * Height does not include for bolt height.

Combination Cases / European Straight Front



Model	CU./FT. (Top / Bottom)	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TOM-W-40SB-UF-N	4.2 / 6.4	2	3/4	6.9	793.5	535	387/8 x 341/8 x 563/4
TOM-W-50SB-UF-N	5.6 / 8.5	2	3/4	6.9	793.5	639	507/8 x 341/8 x 563/4
TOM-W-60SB-UF-N	7.0 / 10.7	2	3/4 x 2	11.3	1299.5	730	627/8 x 341/8 x 563/4

White color option available (8 week lead time) * Height does not include for bolt height.

Horizontal / Drop-In Type European Straight



Model	CU./FT.	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TOM-36UC-W(B, S)-N	5	3/4	7.5	862.5	368	361/4 x 321/4 x 321/2
TOM-48UC-W(B, S)-N	6.8	3/4	7.5	862.5	423	481/4 x 321/4 x 321/2
TOM-60UC-W(B, S)-N	8.6	3/4	7.5	862.5	482	601/4 x 321/4 x 321/2
TOM-72UC-W(B, S)-N	10.4	3/4 x 2	15.0	1725	630	721/4 x 321/4 x 321/2

* Height does not include for bolt height.

Vertical / Slim Profiles



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TOM20-60N-W(B, S)	3.2	2	3/4	5.9	678.5	330	195/8 x 255/8 x 563/4
TOM20-75N-W(B, S)	4.8	4	3/4	6.9	793.5	440	195/8 x 255/8 x 721/2

* Depth does not include for rear spacers. † Height does not include for caster height.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.





Open Display Merchandisers

Vertical / Medium Heights - Glass Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40MW(B, S)-N	8.3	3	3/4 x 2	15.5	1782.5	521	39 1/8 x 26 7/8 x 60 1/4
TOM-50MW(B, S)-N	11.1	3	3/4 x 2	15.5	1782.5	567	50 7/8 x 26 7/8 x 60 1/4

* Depth does not include for rear spacers. † Height does not include for bolt height.

Vertical / Medium Heights - Solid Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40MB-SP(-A)-N	8.3	3	3/4 x 2	15.5	1782.5	521	39 1/8 x 26 7/8 x 60 1/4
TOM-50MB-SP(-A)-N	11.1	3	3/4 x 2	15.5	1782.5	567	50 7/8 x 26 7/8 x 60 1/4

SP-N: stainless steel interior, SP-A-N: black coated interior

* Depth does not include for rear spacers. † Height does not include for bolt height.

Vertical / Full Heights - Glass Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40W(B, S)-N	12.5	4	3/4 x 2	15.5	1782.5	642	39 1/8 x 27 x 78
TOM-50W(B, S)-N	16.5	4	3/4 x 2	15.5	1782.5	733	50 7/8 x 27 x 78

* Depth does not include for rear spacers. † Height does not include for bolt height.

Vertical / Full Heights - Solid Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-40B-SP(-A)-N	12.5	4	3/4 x 2	15.5	1782.5	642	39 1/8 x 27 x 78
TOM-50B-SP(-A)-N	16.5	4	3/4 x 2	15.5	1782.5	733	50 7/8 x 27 x 78

SP-N: stainless steel interior, SP-A-N: black coated interior

* Depth does not include for rear spacers. † Height does not include for bolt height.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.

Open Display Merchandisers

Vertical / Extra Deep - Glass Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-36DXB(S)-N	11	4	3/4 x 2	15.5	1782.5	631	35 ⁵ / ₈ x 33 ¹ / ₄ x 78 ³ / ₈
TOM-48DXB(S)-N	14.9	4	3/4 x 2	15.5	1782.5	727	47 ⁵ / ₈ x 33 ¹ / ₄ x 78 ³ / ₈
TOM-60DXB(S)-N	18.9	4	3/4 x 2	15.5	1782.5	822	59 ⁵ / ₈ x 33 ¹ / ₄ x 78 ³ / ₈
TOM-72DXB(S)-N	22	8	3/4 x 4	18	3960	1064	68 ³ / ₄ x 33 ¹ / ₄ x 78 ³ / ₈

* Depth does not include for safety bar and rear spacers. † Height does not include for bolt height.

Vertical / Extra Deep - Solid Side Panel



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-36DXB-SP(-A)-N	11	4	3/4 x 2	15.5	1782.5	631	35 ⁵ / ₈ x 33 ¹ / ₄ x 78 ³ / ₈
TOM-48DXB-SP(-A)-N	14.9	4	3/4 x 2	15.5	1782.5	727	47 ⁵ / ₈ x 33 ¹ / ₄ x 78 ³ / ₈
TOM-60DXB-SP(-A)-N	18.9	4	3/4 x 2	15.5	1782.5	822	59 ⁵ / ₈ x 33 ¹ / ₄ x 78 ³ / ₈
TOM-72DXB-SP(-A)-N	22	8	3/4 x 4	18	3960	1064	68 ³ / ₄ x 33 ¹ / ₄ x 78 ³ / ₈

SP-N: stainless steel interior, SP-A-N: black coated interior

* Depth does not include for safety bar and rear spacers. † Height does not include for bolt height.

Vertical / Air Curtains



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TOM-36EB(S)-N	17.7	4	4	15.5	1782.5	648	36 x 29 ¹ / ₂ x 80 ¹ / ₂
TOM-48EB(S)-N	24.1	4	4	15.5	1782.5	743	48 x 29 ¹ / ₂ x 80 ¹ / ₂
TOM-60EB(S)-N	30.6	4	4	15.5	1782.5	842	60 x 29 ¹ / ₂ x 80 ¹ / ₂
TOM-72EB(S)-N	37.1	8	8	18	3960	941	72 x 29 ¹ / ₂ x 80 ¹ / ₂
TOM-96EB(S)-N	48.3	8	8	18	3960	1190	92 ⁷ / ₈ x 29 ¹ / ₂ x 80 ¹ / ₂

* Depth does not include for rear spacers. † Height does not include for bolt height.

Slim Profile (26" depth) Medium & Full height models available on www.turboairinc.com.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.



Open Display Merchandisers

Island Display Cases



Model	CU./FT.	# of Tiers	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TIOM-20RSRB(S)-N	19.2	3	3/4 x 5	20.14	4430.8	1230	48 x 67 ⁷ / ₈ x 65
TIOM-36RSRB(S)-N	25.6	3	3/4 x 6	24.17	5317.4	1512	48 x 84 ¹ / ₈ x 65
TIOM-48RSRB(S)-N	28.8	3	3/4 x 6	24.17	5317.4	1642	48 x 96 x 65
TIOM-36RSB(S)-N	20	3	3/4 x 4	16.43	3614.6	1225	48 x 61 ³ / ₄ x 65
TIOM-48RSB(S)-N	23.2	3	3/4 x 4	16.43	3614.6	1333	48 x 73 ⁵ / ₈ x 65
TIOM-48RRB(S)-N	11.2	3	3/4 x 4	15.48	3405.6	853	48 x 47 ⁷ / ₈ x 65
TIOM-48RB(S)-N	5.6	3	3/4 x 2	7.74	1702.8	562	48 x 24 x 65

* Height does not include for bolt height.

Island Display Cases



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TIOM-36SB(S)-N	14.4	6	3/4 x 2	8.7	1914	630	38 ⁵ / ₈ x 48 x 65 ¹ / ₄
TIOM-48SB(S)-N	17.6	6	3/4 x 2	8.7	1914	747	50 ³ / ₈ x 48 x 65 ¹ / ₄

* Height does not include for bolt height.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.

Security Cover

SC - Fabric Cover



Model	Available Model	L x D x H (inches)	Shipping Weight (lbs.)
SC-40(B)	TOM-40W(B, S)-N	36 1/8 x 13 1/4 x 52 3/4	14
SC-50(B)	TOM-50W(B, S)-N	48 x 13 1/4 x 52 3/4	15
SC-36-DXB	TOM-36DXB(S)-N	32 3/4 x 13 1/4 x 51 3/4	10
SC-48-DXB	TOM-48DXB(S)-N	44 3/4 x 13 1/4 x 51 3/4	12
SC-60-DXB	TOM-60DXB S)-N	56 3/4 x 13 1/4 x 51 3/4	13
SC-72-DXB	TOM-72DXB(S)-N	66 x 13 1/4 x 51 3/4	15
SC-36-E(B)	TOM-36EB(S)-N	32 3/4 x 13 1/4 x 51 3/4	8
SC-48-E(B)	TOM-48EB(S)-N	44 3/4 x 13 1/4 x 51 3/4	9
SC-60-E(B)	TOM-60EB(S)-N	56 3/4 x 13 1/4 x 51 3/4	11
SC-72-E(B)	TOM-72EB(S)-N	68 3/4 x 13 1/4 x 51 3/4	13
SC-96-E(B)	TOM-96EB(S)-N	89 1/2 x 13 1/4 x 51 3/4	15
SC-40MW(B)	TOM-40MW(B, S)-N	36 1/8 x 13 1/4 x 30 1/2	12
SC-50MW(B)	TOM-50MW(B, S)-N	48 x 13 1/4 x 30 1/2	14

SCS - Stainless Steel



Model	Available Model	L x D x H (inches)	Shipping Weight (lbs.)
SCS-40	TOM-40W(B, S)-N	36 1/4 x 35/8 x 50 1/2	16
SCS-50	TOM-50W(B, S)-N	48 x 35/8 x 50 1/2	20
SCS-36-DX	TOM-36DXB(S)-N	33 x 2 1/8 x 48	14
SCS-48-DX	TOM-48DXB(S)-N	44 3/4 x 2 1/8 x 48	18
SCS-60-DX	TOM-60DXB S)-N	28 3/8 x 2 1/8 x 48 (2)	26
SCS-72-DX	TOM-72DXB(S)-N	33 x 2 1/8 x 48 (2)	27
SCS-36-E	TOM-36EB(S)-N	32 1/2 x 2 1/4 x 49 3/8	16
SCS-48-E	TOM-48EB(S)-N	44 3/8 x 2 1/4 x 49 3/8	21
SCS-60-E	TOM-60EB(S)-N	28 1/8 x 2 1/4 x 49 3/8 (2)	30
SCS-72-E	TOM-72EB(S)-N	34 x 2 1/4 x 49 3/8 (2)	31
SCS-96-E	TOM-96EB(S)-N	44 3/8 x 2 1/4 x 49 3/8 (2)	42
SCS-40-M	TOM-40MW(B, S)-N	36 1/8 x 1 1/2 x 34 1/8	12
SCS-50-M	TOM-50MW(B, S)-N	48 x 1 1/2 x 34 1/8	16

SCM - Hard Plastic



Model	Available Model	L x D x H (inches)	Shipping Weight (lbs.)
SCM-40(B)	TOM-40W(B, S)-N	38 x 11 1/2 x 64	85
SCM-50(B)	TOM-50W(B, S)-N	49 1/2 x 11 1/2 x 64	95
SCM-36-DXB	TOM-36DXB(S)-N	33 1/4 x 11 1/4 x 62 3/4	81
SCM-48-DXB	TOM-48DXB(S)-N	45 1/4 x 11 1/4 x 62 3/4	92
SCM-60-DXB	TOM-60DXB(S)-N	57 1/4 x 11 1/4 x 62 3/4	103
SCM-72-DXB	TOM-72DXB(S)-N	66 3/8 x 11 1/4 x 62 1/8	106
SCM-36-E(B)	TOM-36EB(S)-N	32 7/8 x 11 1/4 x 64 1/4	81
SCM-48-E(B)	TOM-48EB(S)-N	44 7/8 x 11 1/4 x 64 1/4	92
SCM-60-E(B)	TOM-60EB(S)-N	56 7/8 x 11 1/4 x 64 1/4	103
SCM-72-E(B)	TOM-72EB(S)-N	67 7/8 x 11 1/4 x 64 1/4	106

Bakery Display Cases

Curved Glass Bakery Cases

Refrigerated / Dry / Refrigerated & Dry Case Combination



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TCGB-36-W(B)-N	11.8	2	1/3	7.5	862.5	537	36 1/2 x 34 1/4 x 49 7/8
TCGB-48-W(B)-N	15.6	2	1/3	7.5	862.5	630	48 1/2 x 34 1/4 x 49 7/8
TCGB-60-W(B)-N	19.4	2	3/4	8.6	989	754	60 1/2 x 34 1/4 x 49 7/8
TCGB-72-W(B)-N	23.2	2	3/4	8.6	989	857	72 1/2 x 34 1/4 x 49 7/8
TCGB-36DR-W(B)	11.8	2	-	0.4	46	532	36 1/2 x 34 1/4 x 49 7/8
TCGB-48DR-W(B)	15.6	2	-	0.6	69	614	48 1/2 x 34 1/4 x 49 7/8
TCGB-60DR-W(B)	19.4	2	-	0.7	80.5	714	60 1/2 x 34 1/4 x 49 7/8
TCGB-72DR-W(B)	23.2	2	-	0.7	80.5	678	72 1/2 x 34 1/4 x 49 7/8
TCGB-60CO-W(B)-N	10.3 x 2	4	1/3	7.5	862.5	721	60 1/2 x 34 1/4 x 49 7/8
TCGB-72CO-W(B)-N	12.2 x 2	4	1/3	7.5	862.5	839	72 1/2 x 34 1/4 x 49 7/8

* Height does not include for bolt height.

European Straight Front Bakery Cases

Refrigerated / Dry / Refrigerated & Dry Case Combination / Freezer



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TCGB-36UF-W(B, S)-N	11.8	2	1/3	7.5	862.5	537	36 1/2 x 33 1/8 x 50 1/8
TCGB-48UF-W(B, S)-N	15.6	2	1/3	7.5	862.5	630	48 1/2 x 33 1/8 x 50 1/8
TCGB-60UF-W(B, S)-N	19.4	2	3/4	8.6	989	754	60 1/2 x 33 1/8 x 50 1/8
TCGB-72UF-W(B, S)-N	23.2	2	3/4	8.6	989	857	72 1/2 x 33 1/8 x 50 1/8
TCGB-36UF-DR-W(B, S)	11.8	2	-	0.4	46	471	36 1/2 x 33 1/8 x 50 1/8
TCGB-48UF-DR-W(B, S)	15.6	2	-	0.6	69	564	48 1/2 x 33 1/8 x 50 1/8
TCGB-60UF-DR-W(B, S)	19.4	2	-	0.7	80.5	677	60 1/2 x 33 1/8 x 50 1/8
TCGB-72UF-DR-W(B, S)	23.2	2	-	0.7	80.5	780	72 1/2 x 33 1/8 x 50 1/8
TCGB-60UF-CO-W(B, S)-N	10.3 x 2	4	1/3	7.5	862.5	721	60 1/2 x 33 1/8 x 50 1/8
TCGB-72UF-CO-W(B, S)-N	12.2 x 2	4	1/3	7.5	862.5	839	72 1/2 x 33 1/8 x 50 1/8
TCGBF-50S-N	13.97	4	1HP x 2	7	1610	788	49 5/8 x 33 1/2 x 52 1/4

* Height does not include for bolt height.

Bakery Cases



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TBP36-46NN-W(B, S)	9	1	1/3	6	690	494	35 3/8 x 27 1/2 x 44
TBP48-46NN-W(B, S)	12.4	1	1/3	6.3	724.5	582	47 1/4 x 27 1/2 x 44
TBP60-46NN-W(B, S)	15.7	1	3/4	6.5	747.5	665	59 x 27 1/2 x 44
TBP36-54NN-W(B, S)	12.5	2	1/3	6	690	550	35 3/8 x 27 1/2 x 51 7/8
TBP48-54NN-W(B, S)	17.2	2	3/4	6.5	747.5	643	47 1/4 x 27 1/2 x 51 7/8
TBP60-54NN-W(B, S)	21.8	2	3/4	6.8	782	741	59 x 27 1/2 x 51 7/8

* Height does not include for caster height.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.

Bakery Display Cases

Bakery Cases - Front Glass Opening



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TBP36-46FN-W(B, S)	9	1	1/3	6.3	724.5	504	35 3/8 x 27 1/2 x 44
TBP48-46FN-W(B, S)	12.4	1	1/3	6.8	782	597	47 1/4 x 27 1/2 x 44
TBP60-46FN-W(B, S)	15.7	1	3/4	7.3	839.5	686	59 x 27 1/2 x 44
TBP36-54FN-W(B, S)	12.5	2	1/3	7	805	550	35 3/8 x 27 1/2 x 51 7/8
TBP48-54FN-W(B, S)	17.2	2	3/4	8.2	943	643	47 1/4 x 27 1/2 x 51 7/8
TBP60-54FN-W(B, S)	21.8	2	3/4	8.7	1000.5	741	59 x 27 1/2 x 51 7/8

* Height does not include for caster height.

Drop-In Type Bakery Cases



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TBP36-46FDN	9	1	1/3	6.3	724.5	504	37 x 29 3/4 x 44
TBP48-46FDN	12.4	1	1/3	6.8	782	597	48 7/8 x 29 3/4 x 44
TBP60-46FDN	15.7	1	3/4	7.3	839.5	686	60 5/8 x 29 3/4 x 44
TBP36-54FDN	12.5	2	1/3	7	805	550	37 x 29 3/4 x 51 7/8
TBP48-54FDN	17.2	2	3/4	8.2	943	643	48 7/8 x 29 3/4 x 51 7/8
TBP60-54FDN	21.8	2	3/4	8.7	1000.5	741	60 5/8 x 29 3/4 x 51 7/8

* Height does not include for caster height.

Sandwich & Cheese Cases



Model	CU./FT.	#of bottom shelf	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TOS-30NN-W(B, S)	2.4	1	1/3	8	920	464	30 1/4 x 35 3/8 x 30 7/8
TOS-40NN-W(B, S)	3.3	1	1/3	8	920	552	40 1/4 x 35 3/8 x 30 7/8
TOS-50NN-W(B, S)	4.2	1	1/3	8	920	640	50 1/4 x 35 3/8 x 30 7/8
TOS-30NN-D-W(B, S)	2.4	1	1/3	8	920	481	30 1/4 x 35 3/8 x 40
TOS-40NN-D-W(B, S)	3.3	1	1/3	8	920	572	40 1/4 x 35 3/8 x 40
TOS-50NN-D-W(B, S)	4.2	1	1/3	8	920	664	50 1/4 x 35 3/8 x 40
TOS-30PN-W(B, S)	4.5	1	1/3	8	920	456	30 x 35 3/8 x 34
TOS-40PN-W(B, S)	6.3	1	1/3	8	920	543	40 x 35 3/8 x 34
TOS-50PN-W(B, S)	8.1	1	1/3	8	920	625	50 x 35 3/8 x 34

* Height does not include for caster height.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.



Curved Glass Deli Display Cases



Model	CU./FT.	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D x H* (inches)
TCDD-36H-W(B)-N	12.1	2	1/3	7	805	496	36 1/2 x 30 x 49 7/8
TCDD-48H-W(B)-N	16.2	2	1/3	7	805	569	48 1/2 x 30 x 49 7/8
TCDD-72H-W(B)-N	24.7	2	3/4	7.8	897	777	72 1/2 x 30 x 49 7/8
TCDD-96H-W(B)-N	33.2	4	3/4	7.8	897	957	96 1/2 x 30 x 49 7/8

* Height does not include for bolt height.

Glass Door Merchandisers

Swing Door Refrigerators



Model	CU./FT.	Bottle Capacity (12oz)	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TGM-5SD: -N6	4.45	80	2	1/8	1.4	161	183	25 x 23 1/4 x 30 1/2
TGM-7SD: -N6	6.2	136	3	1/8	1.4	161	202	25 x 23 1/4 x 38 1/8
TGM-10SD: -N6	8.12	236	3	1/5	1.9	218.5	241	25 3/4 x 23 1/4 x 54 3/8
TGM-12SD: -N6	10.19	236 (295 w/ add shelf)	3	1/5	1.9	218.5	257	25 3/4 x 23 1/4 x 63
TGM-15SD: -N6	14.43	315 (378 w/ add shelf)	4	1/5	2.1	241.5	281	26 3/8 x 24 3/4 x 75 5/8
TGM-20SD: -N6	16.01	355 (426 w/ add shelf)	4	1/5	2.4	276	292	27 x 26 3/8 x 77
TGM-23SD: -N6	19.4	405 (486 w/ add shelf)	4	1/5	2.7	310.5	325	27 x 30 1/4 x 77
TGM-35SD: -N	29.06	690 (828 w/ add shelf)	8	1/3	3.3	379.5	450	39 1/2 x 31 7/8 x 77
TGM-47SD: -N	41.71	900 (1080 w/ add shelf)	8	1/3	3.4	391	510	51 1/8 x 31 1/2 x 77
TGM-72SD: -N	67.98	1475 (1770 w/ add shelf)	12	1/2	7.9	908.5	732	78 x 31 1/2 x 77

* Depth does not include for door handles. † Height does not include for leg height.

Swing Door Freezers



Model	CU./FT.	#of Shelves	HP	AMPS/LRA	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TGF-5SD: -N	4.26	2	1/3	2.3	264.5	195	25 x 23 1/4 x 30 1/2
TGF-10SD: -N	7.92	3	1/3	2.6	299	267	25 3/4 x 23 1/4 x 54 3/8
TGF-15SD: -N	13.2	4	1/2	5.6	644	313	26 3/8 x 24 3/4 x 75 5/8
TGF-23SD: -N	17.99	4	1/2	6	690	365	27 x 30 1/4 x 77
TGF-35SD: -N	28.44	8	3/4	8.1 / 98	931.5	519	39 1/2 x 31 7/8 x 77
TGF-47SD: -N	39	8	3/4	10.4 / 49	1196	590	51 1/8 x 31 7/8 x 77
TGF-72SD: -N	60.43	12	1/2 x 2	15.7 / 34	1805.5	915	78 x 31 7/8 x 77

* Depth does not include for door handles. † Height does not include for leg height.

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.

Glass Door Merchandisers

Full View Swing Door Refrigerators



Model	CU./FT.	Bottle Capacity (12 oz)	#of Shelves	HP	AMPS	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TGM-15SDH:-N6	14.7	315 (378 w/ add shelf)	4	1/5	2.1	241.5	281	26 3/8 x 24 3/4 x 75 5/8
TGM-23SDH:-N6	19.02	405 (486 w/ add shelf)	4	1/5	2.2	253	325	27 x 30 1/4 x 77
TGM-35SDH:-N	31.7	690 (828 w/add shelf)	8	1/3	3.3	379.5	450	39 1/2 x 31 7/8 x 77
TGM-47SDH:-N	44.22	900 (1080 w/ add shelf)	8	2/5	6.6	759	510	51 1/8 x 31 1/2 x 77
TGM-72SDH:-N	70.44	1475 (1770 w/ add shelf)	12	1/2	7.8	897	732	78 x 31 1/2 x 77

* Depth does not include for door handles. † Height does not include for leg height.

Full View Swing Door Freezers




Model	CU./FT.	#of Shelves	HP	AMPS / LRA	Watt (W)	Crated Weight (lbs.)	L x D* x H† (inches)
TGF-23SDH:-N	17.94	4	1/2	5.8	667	365	27 x 29 7/8 x 77
TGF-35SDH:-N	30.94	8	2/3	6.8 / 98	782	519	39 1/2 x 31 7/8 x 77
TGF-47SDH:-N	42.12	8	3/4	9.1 / 49	1046.5	590	51 1/8 x 31 1/2 x 77
TGF-72SDH:-N	62.2	12	2/3 x 2	13.6 / 34	1564	915	78 x 31 1/2 x 77

* Depth does not include for door handles. † Height does not include for leg height

Design and specifications subject to change without notice. Most updated spec sheets are available at www.turboairinc.com.

Sales Territory Map



Keith Kim 310-505-7420
Christopher Kim 925-719-8808
 (Northern CA & Nevada)

Sun Kim 213-309-2788
John McDowell & Martha Cano
 602-276-4969

Joshua Ryoo 562-577-2099

Chris Bae 630-442-4786

Andrew Kim 562-307-4355

Phillip Han 562-305-3837
Ro Doyle & Brian Mahoney
 201-525-1433
Owen Freeman
 978-281-2700
Blake Sharkey 800-347-9541

Mike Andrus
 National Accounts

214-770-3126

Rick Blinson
 National Accounts

678-814-2201

D. J. Kourie
 National Accounts

330-447-8411

Carlos Fuentes
 National Accounts

310-745-9321

Bill Smith
 National Accounts

314-378-0524

Suzanne Painter-Supplee
 Consultant

602-418-6725

REFRIGERATOR MANUFACTURER
Turbo air

800-627-0032

www.turboairinc.com



Self-Cleaning Condenser Video

TURBO AIR
REFRIGERATION REINVENTED